



**Roam Blood Orange**

Roam Beverages  
Lic. #: 874269002  
1505 Potters Place  
Holland, PA 18966

Sample Size: 1 units

Received: 12/02/2025  
Completed: 12/09/2025  
Sampled by: Client

Sample ID: 251202TRI007.001  
Sample Description: Roam Blood Orange

Matrix: Ingestible

Rev. 0.



**Summary**

Test	Result
Cannabinoids	Complete
Residual Solvents	Pass
Microbials	Pass
Mycotoxins	Pass
Pesticides	Pass
Heavy Metals	Pass
Foreign Matter	Pass



**Cannabinoids**

Complete

<b>9.950 mg/unit</b> 0.002776% <b>Total THC</b>	<b>ND</b> ND <b>Total CBD</b>	<b>&lt;LOQ</b> <LOQ <b>Total CBG</b>	<b>9.950 mg/unit</b> 0.002776% <b>Total Cannabinoids</b>
---	-------------------------------------	--	--

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	%
CBC	0.1171	0.3903	ND	ND
CBCa	0.2275	0.7585	ND	ND
CBD	0.1171	0.3903	ND	ND
CBDa	0.1171	0.3903	ND	ND
CBDV	0.1171	0.3903	ND	ND
CBDVa	0.1171	0.3903	ND	ND
CBG	0.1171	0.3903	<LOQ	<LOQ
CBGa	0.1171	0.3903	ND	ND
CBL	0.1171	0.3903	ND	ND
CBN	0.1171	0.3903	ND	ND
Δ8-THC	0.1171	0.3903	ND	ND
Δ9-THC	0.1171	0.3903	9.950	0.002776
THCa	0.1171	0.3903	ND	ND
THCV	0.1171	0.3903	ND	ND
THCVa	0.1171	0.3903	ND	ND
<b>Total</b>			<b>9.950</b>	<b>0.002776</b>

Date Analyzed: 12/03/2025

1 Unit = 355 mL Can, 358.4435g

Unit Mass/Volume provided by Client and may affect the validity of "mg/unit" results.

SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.878 + CBG.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

*Kristen Goedde*  
Kristen Goedde  
Quality Manager

*Tom Barkley*  
Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





**Roam Blood Orange**

Roam Beverages  
Lic. #: 874269002  
1505 Potters Place  
Holland, PA 18966

Sample Size: 1 units

Received: 12/02/2025  
Completed: 12/09/2025  
Sampled by: Client

Sample ID: 251202TRI007.001  
Sample Description: Roam Blood Orange

Matrix: Ingestible

Rev. 0.

**Microbials**

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Yeast & Mold Count	10	10000	<10	Pass
Total Aerobic Bacteria Count	10	100000	<10	Pass
Total Enterobacteriaceae (BTGN) Count	10	1000	<10	Pass
Total Coliform Count	10		<10	Tested
Total Escherichia coli (E. coli) Count	10		<10	Tested
Shiga-toxin producing Escherichia coli (STEC)	1	Detected in 1g	Not Detected	Pass
Salmonella spp.	1		Not Detected	Tested
Listeria monocytogenes	1		Not Detected	Tested
Aspergillus spp. (A. fumigatus, A. flavus, A. niger, A. terreus)	1	Detected in 1g	Not Detected	Pass

Date Analyzed: 12/08/2025  
Pathogens: SOP.606, SOP.607; qPCR. Quality Indicators: SOP.605; MPN.

**Mycotoxins**

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Aflatoxin B1	0.000821	0.00274	0.02	ND	Pass
Aflatoxin B2	0.000821	0.00274	0.02	ND	Pass
Aflatoxin G1	0.000821	0.00274	0.02	ND	Pass
Aflatoxin G2	0.000821	0.00274	0.02	ND	Pass
Total Aflatoxins				ND	Tested
Ochratoxin A	0.00328	0.0109	0.02	ND	Pass

Date Analyzed: 12/08/2025  
SOP.402; LC-MS/MS.

**Foreign Matter**

Pass

Date Analyzed: 12/03/2025

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





**Roam Blood Orange**

Roam Beverages  
Lic. #: 874269002  
1505 Potters Place  
Holland, PA 18966

Sample Size: 1 units

Received: 12/02/2025  
Completed: 12/09/2025  
Sampled by: Client

Sample ID: 251202TRI007.001  
Sample Description: Roam Blood Orange

Matrix: Ingestible

Rev. 0.

**Solvents**

**Pass**

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,1- Dichloroethene	0.0382	0.115		ND	Tested
1,2-Dichloroethane	0.153	0.459		ND	Tested
Acetone	15.3	45.9		ND	Tested
Acetonitrile	15.3	45.9		ND	Tested
Benzene	0.0382	0.115		ND	Tested
Butane	15.3	45.9	800	ND	Pass
Chloroform	0.0382	0.115		ND	Tested
Ethanol	15.3	45.9	5000	1750	Pass
Ethyl acetate	15.3	45.9		ND	Tested
Ethyl ether	15.3	45.9		ND	Tested
Ethylene oxide	0.153	0.459		ND	Tested
Heptane	15.3	45.9	500	ND	Pass
n-Hexane	7.64	22.9	100	ND	Pass
Isopropyl alcohol	15.3	45.9		<LOQ	Tested
Methanol	30.6	91.7		ND	Tested
Methylene chloride	0.0764	0.229		ND	Tested
Pentane	3.82	11.5		ND	Tested
Propane	7.64	22.9		ND	Tested
Toluene	7.64	22.9		ND	Tested
Trichloroethylene	0.0382	0.115		ND	Tested
Xylenes	7.64	22.9		ND	Tested

Date Analyzed: 12/04/2025  
SOP:204; HS-GC-MS.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



**Roam Blood Orange**

Roam Beverages  
Lic. #: 874269002  
1505 Potters Place  
Holland, PA 18966

Sample Size: 1 units

Received: 12/02/2025  
Completed: 12/09/2025  
Sampled by: Client

Sample ID: 251202TRI007.001  
Sample Description: Roam Blood Orange

Matrix: Ingestible

Rev. 0.

**Pesticides**

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0103	0.0342	0.1	ND	Pass	Fludioxonil	0.0103	0.0342	0.1	ND	Pass
Acephate	0.0103	0.0342	0.1	ND	Pass	Hexythiazox	0.0103	0.0342	0.1	ND	Pass
Acequinocyl	0.0103	0.0342	0.1	ND	Pass	Imazalil	0.0103	0.0342	0.1	ND	Pass
Acetamiprid	0.0103	0.0342	0.1	ND	Pass	Imidacloprid	0.0103	0.0342	0.1	ND	Pass
Aldicarb	0.0103	0.0342	0.1	ND	Pass	Kresoxim Methyl	0.0103	0.0342	0.1	ND	Pass
Azoxystrobin	0.0103	0.0342	0.1	ND	Pass	Malathion	0.0103	0.0342	0.1	ND	Pass
Bifenazate	0.0103	0.0342	0.1	ND	Pass	Metalaxyl	0.0103	0.0342	0.1	ND	Pass
Bifenthrin	0.0103	0.0342	0.1	ND	Pass	Methiocarb	0.0103	0.0342	0.1	ND	Pass
Boscalid	0.0103	0.0342	0.1	ND	Pass	Methomyl	0.0103	0.0342	0.1	ND	Pass
Captan	0.0821	0.274		ND	Tested	Mevinphos	0.0103	0.0342	0.1	ND	Pass
Carbaryl	0.0103	0.0342	0.1	ND	Pass	MGK-264	0.0205	0.0684		ND	Tested
Carbofuran	0.0103	0.0342	0.1	ND	Pass	Myclobutanil	0.0103	0.0342	0.1	ND	Pass
Chlorantraniliprole	0.0103	0.0342	0.1	ND	Pass	Naled	0.0103	0.0342		ND	Tested
Chlordane	0.0103	0.0342	0.1	ND	Pass	Oxamyl	0.0103	0.0342	0.1	ND	Pass
Chlorfenapyr	0.0103	0.0342		ND	Tested	Pacllobutrazol	0.0103	0.0342	0.1	ND	Pass
Chlormequat chloride	0.0103	0.0342		ND	Tested	Parathion Methyl	0.0103	0.0342		ND	Tested
Chlorpyrifos	0.0103	0.0342	0.1	ND	Pass	Pentachloronitrobenzene	0.0103	0.0342		ND	Tested
Clofentezine	0.0103	0.0342		ND	Tested	Permethrins	0.0103	0.0342	0.1	ND	Pass
Coumaphos	0.0103	0.0342	0.1	ND	Pass	Phosmet	0.0103	0.0342	0.1	ND	Pass
Cyfluthrin	0.0103	0.0342	0.1	ND	Pass	Piperonyl Butoxide	0.0103	0.0342	0.1	ND	Pass
Cypermethrin	0.0205	0.0684	0.1	ND	Pass	Prallethrin	0.0410	0.0342	0.1	ND	Pass
Daminozide	0.0103	0.0342	0.1	ND	Pass	Propiconazole	0.0103	0.0342	0.1	ND	Pass
Diazinon	0.0103	0.0342	0.1	ND	Pass	Propoxur	0.0103	0.0342	0.1	ND	Pass
Dichlorvos	0.0103	0.0342	0.1	ND	Pass	Pyrethrins	0.0410	0.137		ND	Tested
Dimethoate	0.0103	0.0342	0.1	ND	Pass	Pyridaben	0.0103	0.0342	0.1	ND	Pass
Dimethomorph	0.0103	0.0342	0.1	ND	Pass	Spinetoram	0.0103	0.0342	0.1	ND	Pass
Ethoprophos	0.0103	0.0342	0.1	ND	Pass	Spinosad	0.0103	0.0342		ND	Tested
Etofenprox	0.0103	0.0342	0.1	ND	Pass	Spiromesifen	0.0103	0.0342	0.1	ND	Pass
Etoazole	0.0103	0.0342	0.1	ND	Pass	Spirotetramat	0.0103	0.0342	0.1	ND	Pass
Fenhexamid	0.0103	0.0342	0.1	ND	Pass	Spiroxamine	0.0103	0.0342	0.1	ND	Pass
Fenoxycarb	0.0103	0.0342	0.1	ND	Pass	Tebuconazole	0.0103	0.0342	0.1	ND	Pass
Fenpyroximate	0.0103	0.0342		ND	Tested	Thiacloprid	0.0103	0.0342	0.1	ND	Pass
Fipronil	0.0103	0.0342	0.1	ND	Pass	Thiamethoxam	0.0103	0.0342	0.1	ND	Pass
Flonicamid	0.0103	0.0342	0.1	ND	Pass	Trifloxystrobin	0.0103	0.0342	0.1	ND	Pass

Date Tested: 12/08/2025  
SOP.402; LC-MS/MS & SOP.302; GC-MS



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.



**Roam Blood Orange**

Roam Beverages  
Lic. #: 874269002  
1505 Potters Place  
Holland, PA 18966

Sample Size: 1 units

Received: 12/02/2025  
Completed: 12/09/2025  
Sampled by: Client

Sample ID: 251202TRI007.001  
Sample Description: Roam Blood Orange

Matrix: Ingestible

Rev. 0.

**Elemental**

**Pass**

**Heavy Metals**

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	0.5	ND	Pass
Cadmium	0.000512	0.0241	0.5	ND	Pass
Lead	0.00609	0.0241	0.5	ND	Pass
Mercury	0.00276	0.00722	0.5	ND	Pass
Chromium	0.0259	0.0722		ND	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

**Nutrients**

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		<LOQ	Tested
Zinc	1.67	5.00		ND	Tested

Date Analyzed: 12/04/2025  
SOP 502; ICPMS.



ISO/IEC 17025:2017 A2LA  
CERT# 5913.01 // DEA#  
RT0581098 // NJ HEMP#  
34\_00077

Kristen Goedde  
Quality Manager

Tom Barkley  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. Action levels reported for contaminants are in accordance with GAC Rule 40-32-5-02 issued by the State of Georgia. Values reported relate only to the product tested and batched under the batch number identified above. Trichome Analytical makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. All analytical work is performed using validated methods and in accordance with state and/or federal guidelines. This certificate may only be reproduced in full.